EXHAUST AIR

HOOD


28 1/4"

0 0

## **GENERAL NOTES FOR APPLICABLE SHEETS:**

LEFT HAND ACCESS SHOWN IN ALL VIEWS RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED WEIGHTS SHOWN REFLECT FULLY OPTIONED ESTIMATED UNIT WEIGHT

(OVERALL HEIGHT)



UNIT SIZE	ESTIMATED WEIGHT (lbs.)	
60 - 80 TONS	20000	

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches		
All Angles 90°		
All outside corners 0.125" fillet		
Unless Otherwise Specified		
·		

Third Angle Projection Sheet

Angles ±1°



N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

INTAKE

**AIRFLOW** 

ASV 1/19/2018

X.XX

X.XXX

Tolerance Unless

Otherwise Specifed

±.125

±.060

±.030


SP 60-80 TON PKG ELECT HEAT

GENERAL ARRANGEMENT G1000-012 NTS

Part weight


## G1000-012


CUSTOMER CONNECTION LINE SIZE (in.)			
UNIT SIZE	60 TONS	70-80 TONS	
CONDENSATE (PVC)	1 1/2	1 1/2	
POOL WATER LINE CIRCUIT A (CPVC)	2	3	
POOL WATER LINE CIRCUIT B (CPVC)	3	3	



## **BACK CONNECTIONS VIEW**

(NO ORIENTATION CHANGE FOR RH OR LH ACCESS)





NOTES:

REFER TO SHEET 1 FOR GENERAL NOTES LEFT HAND ACCESS SHOWN IN ALL VIEWS

RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED

FILTER INFORMATION REPLACEMENT REPLACEMENT **UNIT SIZE** OA QTY OA SIZE **RA QTY** RA SIZE PART NUMBER PART NUMBER 15 18 X 24 X 4 18 X 24 X 4 870-056 60-80 TONS 870-056 15

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Part weight

X.XX ±.060 X.XXX ±.030 ±1° Angles



N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

Third Angle Projection Sheet

Tolerance Unless

Otherwise Specifed

±.125


ASV 1/19/2018

SP 60-80 TON PKG ELECT HEAT

Page Title CUSTOMER INTERFACE GA 2/8

Rev. NTS

G1000-012



NOTES: REFER TO SHEET 1 FOR GENERAL NOTES HOODS REMOVED FOR CLARITY ACCESS SIDE RETURN AIR OPTION WILL SHIFT FILTER SECTION DOORS TO NON-ACCESS SIDE OUTSIDE AIR INTAKE LOCATED IN THE SAME POSITION REGARDLESS OF OPTIONS

This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

Part weight

±.030

Third Angle Projection Sheet

Angles


Fax: (262) 946-7401


ASV 1/19/2018

±1°

SP 60-80 TON PKG ELECT HEAT

INTAKE OPTIONS GA 3/8 G1000-012 NTS





Otherwise Specifed All Angles 90° ±.125 All outside corners 0.125" fillet X.XX ±.060 Unless Otherwise Specified X.XXX ±.030 Angles ±1°

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

ASV 1/19/2018

SP 60-80 TON PKG ELECT HEAT

UNIT CLEARANCE GA

RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

Third Angle Projection Sheet

G1000-012 NTS

NOTES: REFER TO SHEET 1 FOR GENERAL NOTES


LEFT HAND ACCESS SHOWN IN ALL VIEWS

**UNIT TON** 18" CURB 24" CURB G1000-012 NOTES: CB-80PENN-18 CB-80PENN-24 60-80 REFER TO SHEET 1 FOR GENERAL NOTES 14 GA GALVANIZED STEEL CONSTRUCTION 2. PRIME PAINTED AFTER FABRICATION 3. PRESSURE TREATED WOOD NAILERS 1-1/2" THICK 3LB/FT^3 FIBERGLASS PERIMETER INSULATION 5. INTERNAL ANGLE REINFORCEMENT CURB TO BE SHIPPED KNOCKED DOWN **EQUIPMENT SUPPORT** 93 3/16" 86 3/16" 296 11/16" 109" 292 11/16" \_ B 89 3/16" 18" or 24" 2" - 
→ B
SECTION B-B 18" or 24" — WOOD NAILER-<del>-</del> 1 1/2" Desert Aire has a policy of continuous All Dimensions in Inches Tolerance Unless product and quality improvement. Otherwise Specifed N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 All Angles 90° Specifications and dimensions are ±.125 All outside corners 0.125" fillet ±.060 subject to change without notice. X.XX Unless Otherwise Specified Fax: (262) 946-7401 1 1/2" -This drawing and information contained X.XXX ±.030 NUMBER AND LOCATION OF CROSS SUPPORTS IS DEPENDANT UPON Angles ±1° herein are the exclusive property of the THE GUAGE OF MATERIAL USED TO CONSTRUCT THE CURB, Desert Aire Corporation. Any use detrimental Description SP 60-80 TON PKG ELECT HEAT ASV 1/19/2018 to the interests of Desert Aire is prohibited. DETAIL C DUCT SUPPORT CONFIGURATION LENGTH OF CURB, AND WIDTH OF CURB. SCALE 1:8 Third Angle Projection Sheet INSTALLATION INSTRUCTIONS INCLUDED WITH CURB **CURB DETAIL GA** ALL DIMENSIONS ARE IN INCHES SHIPMENT INDICATE THE REQUIRED POSITION FOR FIELD ASSEMBLED CURBS. TOLERANCE ± 1/8"


Part weight


NTS

G1000-012



SHIP LOOSE ITEMS			
EXHAUST HOOD			
DA PART NO	DESCRIPTION	QTY	
HOOD	EXHAUST ASSEMBLY	1	
807-023	SCREW #8-18X1/2 SS	36	
990-105	CAULK WHITE	1	





Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

ASV Date Released 1/19/2018

Tolerance Unless

Otherwise Specifed

X.X ±.125

X.XX ±.060

X.XXX ±.030 Angles ±1°

SP 60-80 TON PKG ELECT HEAT

SHIPPING/LIFTING DETAILS GA

Third Angle Projection Sheet

NTS

Rev.

G1000-012