




ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"


Part weight


G1000-105
















UNIT TON	18" CURB	24" CURB CB-50NCBN-24	
45-50	CB-50NCBN-18		





	SHIP LOC	<b>DSE ITEM</b>	S
	EXHAU	ST HOOD	
PART NO		RIPTION	QTY
		ASSEMBLY	1
)7-023 )0-105		3-18X1/2 SS (WHITE	36
		OUTDOOR AIR INTAKE HOOD	
	Tolerance Unless Otherwise Specifed		20 W18485 FREISTADT RE RMANTOWN, WI 53022
nches 25" fillet becified	X.X ±.125 X.XX ±.060 X.XXX ±.030 Angles ±1°	E LELAU Tel:	(262) 946-7400 : (262) 946-7401
25" fillet	X.X ±.125 X.XX ±.060 X.XXX ±.030	Description	(262) 946-7400

Scale

NTS

Rev.


1


Drawing Number


G1000-105

SHIP LOOSE ITEMS				
EXHAUST HOOD				
DA PART NO	DESCRIPTION	QTY		
HOOD	EXHAUST ASSEMBLY	1		
807-023	SCREW #8-18X1/2 SS	36		
990-105	CAULK WHITE	1		

## SHIPPING AND LIFTING DETAILS FOR MULTI-SECTION CONSTRUCTION OPTION ONLY







3/4"


3


- 3/4"


LUG DETAIL

-- 1 3/4" ----

 $\cap$ 







BACKDRAFT DAMPER OPTION ADDS AN ADDITIONAL 9" TO FAN SECTION LENGTH

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

2

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"



NOTES: REFER TO SHEET 1 FOR GENERAL NOTES AND HOOD DETAILS UNIT SHIPPED IN SIX SECTIONS SEE I/O MANUAL FOR ASEMBLY DETAILS

	SHIP LOOSE ITEMS					
SECTION ITEMS						
DA PART NO	DESCRIPTION	QTY				
807-007	BOLT 3/8-16X1 SS	16				
807-008	WASHER 3/8 FLAT SS	16				
807-009	WASHER LOCK SPLIT 3/8 SS	16				
807-010	NUT 3/8-16 SS	16				
807-023	SCREW #8-18X1/2 SS	688				
807-223	SCREW #10-32X1/2 MACHINE HEX	16				
950-089	TAPE SEAM SEALER 2"	120 FT (3 ROLLS)				
950-090	TAPE SEAM SEALER 4"	15 FT				
990-105	CAULK WHITE	8				
352-098-040	BASE Z CVR SIDE, MID SEC	8				
STRIPS	2.5 X 103" METAL SIDE STRIPS	8				
STRIPS	2.5 X 92 1/2" METAL TOP STRIPS	4				
STRIPS	1" X 3" X 24" METAL CORNER STRIPS	8				

REMOTE CONDENSER/WATER CONNECTIONS WILL ADD AN ADDITIONAL MAXIMUM OF 8" TO LENGTH

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified	Tolerance Unless Otherwise Specifed X.X ±.125 X.XX ±.060 X.XXX ±.030 Angles ±1°			N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401	
	Drawn ASV	Date Released 1/19/2	018	Description SP 40-50 TON SPLIT HWC	
Third Angle Projection	Sheet 9/9			Page Title SECTIONED LIFTING DETAILS GA	
Part weight	Scale NTS		<sup>Rev.</sup>	Drawing Number G1000-105	