
GENERAL NOTES FOR APPLICABLE SHEETS:

LEFT HAND ACCESS SHOWN IN ALL VIEWS RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED WEIGHTS SHOWN REFLECT FULLY OPTIONED ESTIMATED UNIT WEIGHT



UNIT SIZE	ESTIMATED WEIGHT (lbs.)
45-50 TONS	15500

product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Part weight

Third Angle Projection Sheet

X.XXX ±.030 Angles ±1°

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

ASV 1/19/2018

X.XX ±.060

±.125

1/9


SP 40-50 TON SPLIT ELECT HEAT GENERAL ARRANGEMENT

NTS

G1000-109

G1000-109

CUSTOMER CONNECTION LINE SIZE (in.)			
UNIT SIZE	45 TONS	50 TONS	
CONDENSATE (PVC)	1 1/2	1 1/2	
POOL WATER LINE CIRCUIT A (CPVC)	1	2	
POOL WATER LINE CIRCUIT B (CPVC)	2	2	
DISCHARGE LINE CIRCUIT A (CU)	1 1/8	1 1/8	
LIQUID LINE CIRCUIT A (CU)	3/4	7/8	
DISCHARGE LINE CIRCUIT B (CU)	1 1/8	1 1/8	
LIQUID LINE CIRCUIT B (CU)	7/8	7/8	
COOLING LOOP (CU)	2 1/2	3	



BACK CONNECTIONS VIEW

(NO ORIENTATION CHANGE FOR RH OR LH ACCESS)

SIDE ELECTRICAL CONNECTION LOCATION OPTION CIRCUIT A AND CONTROL PANEL REHEAT CIRCUIT B COIL ACCESS VOLTAGE REFRIG EVAP ACCESS COIL WALK-IN FAN FII TEE INTAKE ACCESS ACCESS WALK-IN ACCESS 100" ACCESS **AIRFLOW** LOW VOLTAGE in**a**n SIDE CONDENSATE - 38" 82" LOCATION OPTION

LEFT SIDE CONNECTION VIEW

(LEFT HAND ACCESS SHOWN)

RH ACCESS BACK ELECTRICAL LH ACCESS BACK ELECTRICAL CONNECTION LOCATION OPTION-CONNECTION LOCATION OPTION 16" 100" 90" RIGHT BACK REMOTE CONDENSER/WATER LEFT BACK REMOTE CONDENSER/WATER CONNECTION LOCATION OPTION **CONNECTION LOCATION OPTION**

NOTES:

REFER TO SHEET 1 FOR GENERAL NOTES LEFT HAND ACCESS SHOWN IN ALL VIEWS

RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED

FILTER INFORMATION						
UNIT SIZE	OA QTY	OA SIZE	REPLACEMENT PART NUMBER	RA QTY	RA SIZE	REPLACEMENT PART NUMBER
45-50 TONS	10	18 X 24 X 4	870-056	10	18 X 24 X 4	870-056

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches
All Angles 90°
All outside corners 0.125" fillet
Unless Otherwise Specified
<u> </u>

Part weight

X.XX X.XXX Angles Third Angle Projection Sheet

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

ASV 1/19/2018

±.125

±.060

±.030


±1°

Tolerance Unless

Otherwise Specifed


SP 40-50 TON SPLIT ELECT HEAT

Page Title CUSTOMER INTERFACE GA 2/9 G1000-109 NTS 1



INTAKE

BOTTOM SUPPLY OPTION (VIEW FROM ABOVE)



NOTES:

REFER TO SHEET 1 FOR GENERAL NOTES

LEFT HAND ACCESS SHOWN IN ALL VIEWS UNLESS OTHERWISE SPECIFIED

RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED HOODS REMOVED FOR CLARITY

ACCESS SIDE SUPPLY AIR OPTION WILL SHIFT FAN SECTION DOORS TO NON-ACCESS SIDE

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Tolerance Unless Otherwise Specifed ±.125 ±.060 ±.030

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

Third Angle Projection Sheet

ASV 1/19/2018

±1°

SP 40-50 TON SPLIT ELECT HEAT


NTS


X.XX

X.XXX


Angles


DISCHARGE OPTIONS GA G1000-109





SHIP LOOSE ITEMS		
EXHAUST HOOD		
DA PART NO	DESCRIPTION	QTY
HOOD	EXHAUST ASSEMBLY	1
807-023	SCREW #8-18X1/2 SS	36
990-105	CAULK WHITE	1





Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Tolerance Unless Otherwise Specifed X.X ±.125 X.XX ±.060 X.XXX ±.030 Angles ±1°

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

ASV Date Released 1/19/2018 Third Angle Projection Sheet

NTS

SP 40-50 TON SPLIT ELECT HEAT

Page Title SHIPPING/LIFTING DETAILS GA 8/9 G1000-109

NOTES:


REFER TO SHEET 1 FOR GENERAL NOTES AND HOOD DETAILS


\sim	-	-109


SHIP LOOSE ITEMS		
EXHAUST HOOD		
DA PART NO	DESCRIPTION	QTY
HOOD	EXHAUST ASSEMBLY	1
807-023	SCREW #8-18X1/2 SS	36
990-105	CAULK WHITE	1


SHIP LOOSE ITEMS			
SECTION ITEMS			
DA PART NO	DESCRIPTION	QTY	
807-007	BOLT 3/8-16X1 SS	20	
807-008	WASHER 3/8 FLAT SS	20	
807-009	WASHER LOCK SPLIT 3/8 SS	20	
807-010	NUT 3/8-16 SS	20	
807-023	SCREW #8-18X1/2 SS	860	
807-223	SCREW #10-32X1/2 MACHINE HEX	20	
950-089	TAPE SEAM SEALER 2"	150 FT (3 ROLLS)	
950-090	TAPE SEAM SEALER 4"	17 FT	
990-105	CAULK WHITE	9	
352-098-040	BASE Z CVR SIDE, MID SEC	10	
STRIPS	2.5 X 103" METAL SIDE STRIPS	10	
STRIPS	2.5 X 92 1/2" METAL TOP STRIPS	5	
STRIPS	1" X 3" X 24" METAL CORNER STRIPS	10	


SHIPPING AND LIFTING DETAILS FOR MULTI-SECTION CONSTRUCTION OPTION ONLY



















BACKDRAFT DAMPER OPTION ADDS AN ADDITIONAL 9" TO FAN SECTION LENGTH

REMOTE CONDENSER/WATER CONNECTIONS WILL ADD AN ADDITIONAL MAXIMUM OF 8" TO LENGTH

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

All Dimensions in Inches

All Angles 90°

All outside corners 0.125" fillet

Unless Otherwise Specified

ASV 1/19/2018

±.125

SP 40-50 TON SPLIT ELECT HEAT

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

Third Angle Projection Sheet

NTS

9/9

Tolerance Unless

Otherwise Specifed

X.XX ±.060

X.XXX ±.030 Angles ±1°

SECTIONED LIFTING DETAILS GA

G1000-109

REFER TO SHEET 1 FOR GENERAL NOTES AND HOOD DETAILS UNIT SHIPPED IN SIX SECTIONS SEE I/O MANUAL FOR ASEMBLY DETAILS