



	APPLICABLE UNIT	ORIENTATION		MAX KW / SUPPLY VOLTAGE															DUCT HEATER DIMENSIONS									
			240/1/60			240/3/60			480/3/60			600/3/60			208/1/60			208/3/60				DVV	DH			EH		
			SML	MED	LRG	SML	MED	LRG	SML	MED	LRG	SML	MED	LRG	SML	MED	LRG	SML	MED	LRG	DL	DW	SML	MED	LRG	SML	MED	LRG
	GV04-05	VERTICAL	16	N/A	30	15	N/A	37	18	N/A	42	20	N/A	40	15	N/A	26	16	N/A	32	12"	12"	14"	N/A	23"	13"	N/A	22"
	GV08-10	VERTICAL	16	30	40	15	37	55	18	42	70	20	40	62	15	31	37	16	32	50	22"	13"	14"	21"	33"	13"	20"	32"
	GV15	VERTICAL	20	32	45	25	50	60	26	50	74	26	46	66	20	28	39	22	45	54	24"	13"	14"	21"	33"	13"	20"	32"


DUCT HEATER OPTION VIEWS (VERTICAL SHOWN)



DW

G817-003






NOTES:

- DUCT HEATER MUST BE INSTALLED IN AIRFLOW ORIENTATION ORDERED
- CONTACT FACTORY FOR NEW HEATER IF CHANGE TO SUPPLY ORIENTATION IS DESIRED



HEATER IS FACTORY SUPPLIED ACCESSORY FIELD INSTALLED

DISCONNECT OPTION VIEW




NOTES:

DISCONNECT LOCATED AS SHOWN OR FACTORY SUPPLIED AND FIELD INSTALLED

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified



X.XX ±.060 X.XXX ±.030 ±1° Angles

Tolerance Unless

Otherwise Specifed

NTS

0

±.125



N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

G817-003

EAC 10/16/2020 GrowAire GV 4-15T Vert Dsch OA Page Title **OPTIONS**