


UNITS SELECTED WITH LEFT SERVICE ACCESS ONLY

SEE PAGE 3 FOR RIGHT HAND SERVICE



UNITS SELECTED WITH RIGHT SERVICE ACCESS ONLY

SEE PAGE 2 FOR LEFT HAND SERVICE



TONNAGE

25

30

UNIT SIZE

TONS

20


25

30

DIM "A" 12 7/8"


9 3/8"

7 3/8"



6 1/2" RIGHT CONDENSATE OPTION

8 1/2"



OPTIONAL WATER COOLED AND

Q-PUMP HEAT EXCHANGER

CONNECTIONS

OUTLET

2 5/8 OD

2 5/8 OD

2 5/8 OD

INLET

2 5/8 OD

2 5/8 OD

2 5/8 OD

REMOTE CONDENSER

CONDENSATE

DRAIN

CONNECTION

OUTLET

1" ID

1" ID

1" ID

CONNECTIONS

OPTIONAL REMOTE CONDENSER

CONNECTIONS

LIQUID RETURN

7/8" OD

1 1/8" OD


1 1/8" OD

DISCHARGE


1 3/8" OD

1 5/8" OD

1 5/8" OD




RIGHT REMOTE CONDENSER OPTION INTAKE VIEW



Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained WATER PIPING FOR WATER COOLEDCONDENSERS, SEE PAGE 1 FOR HOT WATER COIL herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

WATER PIPING LEFT WATER PIPING OPTION LEFT SIDE VIEW 10 15 WATER OUT WATER IN 11 5/8"



All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Otherwise Specifed

NTS

X.XX

X.XXX

±.125

±.060

±.030

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

G817-007



Angles		s ±1°		
vn		Date Released		Description
	EAC	10/9/2020		GrowAire GV 20-30T VertDsch FB
et	3/3			Page Title RH SERVICE CONNECTIONS
_			D	Danisia - Nissaka -

0