

SelectAire™ Unit - Quick Reference

Tons	Return Duct	Internal Auxiliary Heat (Hot Water Coil or Electric Heat)*	With Energy Recovery (Exhaust Fan Included)	Exhaust Air as % of Supply Air Flow Rate (or OA in unit without Energy Recovery)	General Arrangement (GA)** Drawing #	Rev #	Basic Unit Footprint Dimensions**				Estimated Unit Weight (lbs.)	Roof Curb Model***
							Base Length	Base Width	Height Without Outside Air Box	Height With Outside Air Box		
18-20	Horizontal	No	No	0-25%	G900-001	0	120"	77"	49 1/8"	77 1/2"	3,800	CB-SWAy-xx
			Yes	0-25%	G900-001	0	153 3/8"	77"	49 1/8"	89 1/2"	4,700	CB-SRAY-xx
				26-50%	G900-007	0	186 3/4"	77"	49 1/8"	89 1/2"	5,500	CB-SNDy-xx
		Yes	No	0-25%	G900-004	0	153 3/8"	77"	49 1/8"	77 1/2"	4,400	CB-SWFy-xx
			Yes	0-25%	G900-004	0	186 3/4"	77"	49 1/8"	89 1/2"	4,900	CB-SRAY-xx
				26-50%	G900-010	0	220 1/8"	77"	49 1/8"	89 1/2"	5,700	CB-SNGy-xx
	Bottom	No	No	0-25%	G900-007	0	186 3/4"	77"	49 1/8"	77 1/2"	4,500	CB-SNDy-xx
			Yes	0-25%	G900-007	0	186 3/4"	77"	49 1/8"	89 1/2"	5,000	CB-SNDy-xx
				26-50%	G900-007	0	186 3/4"	77"	49 1/8"	89 1/2"	5,500	CB-SNDy-xx
		Yes	No	0-25%	G900-010	0	220 1/8"	77"	49 1/8"	77 1/2"	4,600	CB-SNGy-xx
			Yes	0-25%	G900-010	0	220 1/8"	77"	49 1/8"	89 1/2"	5,200	CB-SNGy-xx
				26-50%	G900-010	0	220 1/8"	77"	49 1/8"	89 1/2"	5,700	CB-SNGy-xx
24	Horizontal	No	No	0-25%	G900-001	0	120"	77"	59 1/8"	87 1/2"	4,000	CB-SWAy-xx
			Yes	0-25%	G900-001	0	153 3/8"	77"	59 1/8"	99 1/2"	5,300	CB-SRAY-xx
				26-50%	G900-007	0	186 3/4"	77"	59 1/8"	99 1/2"	6,100	CB-SNDy-xx
		Yes	No	0-25%	G900-004	0	153 3/8"	77"	59 1/8"	87 1/2"	4,600	CB-SWFy-xx
			Yes	0-25%	G900-004	0	186 3/4"	77"	59 1/8"	99 1/2"	5,500	CB-SRAY-xx
				26-50%	G900-010	0	220 1/8"	77"	59 1/8"	99 1/2"	6,400	CB-SNGy-xx
	Bottom	No	No	0-25%	G900-007	0	186 3/4"	77"	59 1/8"	87 1/2"	4,700	CB-SNDy-xx
			Yes	0-25%	G900-007	0	186 3/4"	77"	59 1/8"	99 1/2"	5,600	CB-SNDy-xx
				26-50%	G900-007	0	186 3/4"	77"	59 1/8"	99 1/2"	6,100	CB-SNDy-xx
		Yes	No	0-25%	G900-010	0	220 1/8"	77"	59 1/8"	87 1/2"	4,800	CB-SNGy-xx
			Yes	0-25%	G900-010	0	220 1/8"	77"	59 1/8"	99 1/2"	5,900	CB-SNGy-xx
				26-50%	G900-010	0	220 1/8"	77"	59 1/8"	99 1/2"	6,400	CB-SNGy-xx
30	Horizontal	No	No	0-25%	G900-001	0	120"	77"	69 1/8"	97 1/2"	4,600	CB-SWAy-xx
			Yes	0-25%	G900-001	0	153 3/8"	77"	69 1/8"	109 1/2"	5,800	CB-SRAY-xx
				26-50%	G900-007	0	186 3/4"	77"	69 1/8"	109 1/2"	6,600	CB-SNDy-xx
		Yes	No	0-25%	G900-004	0	153 3/8"	77"	69 1/8"	97 1/2"	4,800	CB-SWFy-xx
			Yes	0-25%	G900-004	0	186 3/4"	77"	69 1/8"	109 1/2"	6,000	CB-SRAY-xx
				26-50%	G900-010	0	220 1/8"	77"	69 1/8"	109 1/2"	6,800	CB-SNGy-xx
	Bottom	No	No	0-25%	G900-007	0	186 3/4"	77"	69 1/8"	97 1/2"	4,900	CB-SNDy-xx
			Yes	0-25%	G900-007	0	186 3/4"	77"	69 1/8"	109 1/2"	6,100	CB-SNDy-xx
				26-50%	G900-007	0	186 3/4"	77"	69 1/8"	109 1/2"	6,600	CB-SNDy-xx
		Yes	No	0-25%	G900-010	0	220 1/8"	77"	69 1/8"	97 1/2"	5,100	CB-SNGy-xx
			Yes	0-25%	G900-010	0	220 1/8"	77"	69 1/8"	109 1/2"	6,300	CB-SNGy-xx
				26-50%	G900-010	0	220 1/8"	77"	69 1/8"	109 1/2"	6,800	CB-SNGy-xx

* Gas heat units supplied as "No Internal Heat". See corresponding G900-xxx-G print for gas heater dimensions.

***Roof curb model numbers listed above "y" is reserved for blower configuration and "-xx" is reserved for curb height.

** For units specified in confined areas, refer to the respective GA drawing for specific unit dimensions

SelectAire™ Unit - Quick Reference

Tons	Return Duct	Internal Auxiliary Heat (Hot Water Coil or Electric Heat)*	With Energy Recovery (Exhaust Fan Included)	Exhaust Air as % of Supply Air Flow Rate (or OA in unit without Energy Recovery)	General Arrangement (GA)** Drawing #	Rev #	Basic Unit Footprint Dimensions**				Estimated Unit Weight (lbs.)	Roof Curb Model***
							Base Length	Base Width	Height Without Outside Air Box	Height With Outside Air Box		
35	Horizontal	No	No	0-25%	G900-002	0	165 1/4"	87"	73 7/8"	102 1/4"	5,800	CB-MNAy-xx
			Yes	0-25%	G900-002	0	165 1/4"	87"	73 7/8"	114 1/4"	6,600	CB-MNAy-xx
				26-50%	G900-008	0	221 1/4"	87"	73 7/8"	114 1/4"	7,400	CB-MNDy-xx
		Yes	No	0-25%	G900-005	0	187 7/8"	87"	73 7/8"	102 1/4"	6,000	CB-MNDy-xx
			Yes	0-25%	G900-005	0	187 7/8"	87"	73 7/8"	114 1/4"	6,800	CB-MNDy-xx
				26-50%	G900-011	0	243 7/8"	87"	73 7/8"	114 1/4"	7,600	CB-MNGy-xx
	Bottom	No	No	0-25%	G900-008	0	221 1/4"	87"	73 7/8"	102 1/4"	6,100	CB-MNDy-xx
			Yes	0-25%	G900-008	0	221 1/4"	87"	73 7/8"	114 1/4"	6,900	CB-MNDy-xx
				26-50%	G900-008	0	221 1/4"	87"	73 7/8"	114 1/4"	7,400	CB-MNDy-xx
		Yes	No	0-25%	G900-011	0	243 7/8"	87"	73 7/8"	102 1/4"	6,300	CB-MNGy-xx
			Yes	0-25%	G900-011	0	243 7/8"	87"	73 7/8"	114 1/4"	7,100	CB-MNGy-xx
				26-50%	G900-011	0	243 7/8"	87"	73 7/8"	114 1/4"	7,600	CB-MNGy-xx
40	Horizontal	No	No	0-25%	G900-002	0	165 1/4"	87"	73 7/8"	102 1/4 "	6,100	CB-MNAy-xx
			Yes	0-25%	G900-002	0	165 1/4"	87"	73 7/8"	114 1/4"	6,900	CB-MNAy-xx
				26-50%	G900-008	0	221 1/4"	87"	73 7/8"	114 1/4"	7,700	CB-MNDy-xx
		Yes	No	0-25%	G900-005	0	187 7/8"	87"	73 7/8"	102 1/4 "	6,300	CB-MNDy-xx
			Yes	0-25%	G900-005	0	187 7/8"	87"	73 7/8"	114 1/4"	7,100	CB-MNDy-xx
				26-50%	G900-011	0	243 7/8"	87"	73 7/8"	114 1/4"	7,900	CB-MNGy-xx
	Bottom	No	No	0-25%	G900-008	0	221 1/4"	87"	73 7/8"	102 1/4 "	6,400	CB-MNDy-xx
			Yes	0-25%	G900-008	0	221 1/4"	87"	73 7/8"	114 1/4"	7,200	CB-MNDy-xx
				26-50%	G900-008	0	221 1/4"	87"	73 7/8"	114 1/4"	7,700	CB-MNDy-xx
		Yes	No	0-25%	G900-011	0	243 7/8"	87"	73 7/8"	102 1/4 "	6,600	CB-MNGy-xx
			Yes	0-25%	G900-011	0	243 7/8"	87"	73 7/8"	114 1/4"	7,400	CB-MNGy-xx
				26-50%	G900-011	0	243 7/8"	87"	73 7/8"	114 1/4"	7,900	CB-MNGy-xx
45	Horizontal	No	No	0-25%	G900-002	0	165 1/4"	87"	88 7/8 "	117 1/4"	6,700	CB-MNAy-xx
			Yes	0-25%	G900-002	0	165 1/4"	87"	88 7/8 "	129 1/4"	7,500	CB-MNAy-xx
				26-50%	G900-008	0	221 1/4"	87"	88 7/8 "	129 1/4"	8,300	CB-MNDy-xx
		Yes	No	0-25%	G900-005	0	187 7/8"	87"	88 7/8 "	117 1/4"	6,900	CB-MNDy-xx
			Yes	0-25%	G900-005	0	187 7/8"	87"	88 7/8 "	129 1/4"	7,700	CB-MNDy-xx
				26-50%	G900-011	0	243 7/8"	87"	88 7/8 "	129 1/4"	8,500	CB-MNGy-xx
	Bottom	No	No	0-25%	G900-008	0	221 1/4"	87"	88 7/8 "	117 1/4"	7,000	CB-MNDy-xx
			Yes	0-25%	G900-008	0	221 1/4"	87"	88 7/8 "	129 1/4"	7,800	CB-MNDy-xx
				26-50%	G900-008	0	221 1/4"	87"	88 7/8 "	129 1/4"	8,300	CB-MNDy-xx
		Yes	No	0-25%	G900-011	0	243 7/8"	87"	88 7/8 "	117 1/4"	7,200	CB-MNGy-xx
			Yes	0-25%	G900-011	0	243 7/8"	87"	88 7/8 "	129 1/4"	8,000	CB-MNGy-xx
				26-50%	G900-011	0	243 7/8"	87"	88 7/8 "	129 1/4"	8,500	CB-MNGy-xx

* Gas heat units supplied as "No Internal Heat". See corresponding G900-xxx-G print for gas heater dimensions.

***Roof curb model numbers listed above "y" is reserved for blower configuration and "-xx" is reserved for curb height.

** For units specified in confined areas, refer to the respective GA drawing for specific unit dimensions

SelectAire™ Unit - Quick Reference

Tons	Return Duct	Internal Auxiliary Heat (Hot Water Coil or Electric Heat)*	With Energy Recovery (Exhaust Fan Included)	Exhaust Air as % of Supply Air Flow Rate (or OA in unit without Energy Recovery)	General Arrangement (GA)** Drawing #	Rev #	Basic Unit Footprint Dimensions**				Estimated Unit Weight (lbs.)	Roof Curb Model***
							Base Length	Base Width	Height Without Outside Air Box	Height With Outside Air Box		
50	Horizontal	No	No	0-25%	G900-002	0	165 1/4"	87"	88 7/8 "	117 1/4"	7,100	CB-MNAy-xx
			Yes	0-25%	G900-002	0	165 1/4"	87"	88 7/8 "	129 1/4"	7,800	CB-MNAy-xx
		Yes	No	26-50%	G900-008	0	221 1/4"	87"	88 7/8 "	129 1/4"	8,600	CB-MNDy-xx
			Yes	0-25%	G900-005	0	187 7/8"	87"	88 7/8 "	117 1/4"	7,300	CB-MNDy-xx
			Yes	0-25%	G900-005	0	187 7/8"	87"	88 7/8 "	129 1/4"	8,000	CB-MNDy-xx
			Yes	26-50%	G900-011	0	243 7/8"	87"	88 7/8 "	129 1/4"	8,800	CB-MNGy-xx
	Bottom	No	No	0-25%	G900-008	0	221 1/4"	87"	88 7/8 "	117 1/4"	7,500	CB-MNDy-xx
			Yes	0-25%	G900-008	0	221 1/4"	87"	88 7/8 "	129 1/4"	8,100	CB-MNDy-xx
			Yes	26-50%	G900-008	0	221 1/4"	87"	88 7/8 "	129 1/4"	8,600	CB-MNDy-xx
		Yes	No	0-25%	G900-011	0	243 7/8"	87"	88 7/8 "	117 1/4"	7,700	CB-MNGy-xx
			Yes	0-25%	G900-011	0	243 7/8"	87"	88 7/8 "	129 1/4"	8,300	CB-MNGy-xx
			Yes	26-50%	G900-011	0	243 7/8"	87"	88 7/8 "	129 1/4"	8,800	CB-MNGy-xx
60	Horizontal	No	No	0-25%	G900-003	0	221 1/4"	87"	94 7/8"	123 1/4"	9,100	CB-LNAy-xx
			Yes	0-25%	G900-003	0	221 1/4"	87"	94 7/8"	135 1/4"	9,700	CB-LNAy-xx
			Yes	26-50%	G900-009	0	277 1/4"	87"	94 7/8"	135 1/4"	11,800	CB-LNDy-xx
		Yes	No	0-25%	G900-006	0	254 5/8"	87"	94 7/8"	123 1/4"	9,300	CB-LNDy-xx
			Yes	0-25%	G900-006	0	254 5/8"	87"	94 7/8"	135 1/4"	10,000	CB-LNDy-xx
			Yes	26-50%	G900-012	0	310 5/8"	87"	94 7/8"	135 1/4"	12,100	CB-LNGy-xx
	Bottom	No	No	0-25%	G900-009	0	277 1/4"	87"	94 7/8"	123 1/4"	10,600	CB-LNDy-xx
			Yes	0-25%	G900-009	0	277 1/4"	87"	94 7/8"	135 1/4"	11,300	CB-LNDy-xx
			Yes	26-50%	G900-009	0	277 1/4"	87"	94 7/8"	135 1/4"	11,800	CB-LNDy-xx
		Yes	No	0-25%	G900-012	0	310 5/8"	87"	94 7/8"	123 1/4"	10,900	CB-LNGy-xx
			Yes	0-25%	G900-012	0	310 5/8"	87"	94 7/8"	135 1/4"	11,600	CB-LNGy-xx
			Yes	26-50%	G900-012	0	310 5/8"	87"	94 7/8"	135 1/4"	12,100	CB-LNGy-xx

* Gas heat units supplied as "No Internal Heat". See corresponding G900-xxx-G print for gas heater dimensions.

** For units specified in confined areas, refer to the respective GA drawing for specific unit dimensions

***Roof curb model numbers listed above "y" is reserved for blower configuration and "-xx" is reserved for curb height.