

GENERAL NOTES FOR APPLICABLE SHEETS:

LEFT HAND ACCESS SHOWN IN ALL VIEWS
RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED
WEIGHTS SHOWN REFLECT FULLY OPTIONED ESTIMATED UNIT WEIGHT





Third Angle Projection Sheet

Part weight

herein are the exclusive property of the

Desert Aire Corporation. Any use detrimental

to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

45-50 TONS

16500

Angles ±1°

NTS

ASV 1/19/2018


1/10

Description SP 40-50 TON SPLIT SINGLE GAS

G1000-113


GENERAL ARRANGEMENT


CUSTOMER CONNECTION LINE SIZE (in.)		
UNIT SIZE	45 TONS	50 TONS
CONDENSATE (PVC)	1 1/2	1 1/2
GAS (MNPT)	2	2
GAS CONDENSATE (PVC)	1	1
DISCHARGE LINE CIRCUIT A (CU)	1 1/8	1 1/8
LIQUID LINE CIRCUIT A (CU)	3/4	7/8
DISCHARGE LINE CIRCUIT B (CU)	1 1/8	1 1/8
LIQUID LINE CIRCUIT B (CU)	7/8	7/8
POOL WATER LINE CIRCUIT A (CPVC)	1	2
POOL WATER LINE CIRCUIT B (CPVC)	2	2
COOLING LOOP (CU)	2 1/2	3



BACK CONNECTIONS VIEW

(NO ORIENTATION CHANGE FOR RH OR LH ACCESS)





Part weight

NOTES:

REFER TO SHEET 1 FOR GENERAL NOTES LEFT HAND ACCESS SHOWN IN ALL VIEWS

RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED

FILTER INFORMATION						
UNIT SIZE	OA QTY	OA SIZE	REPLACEMENT PART NUMBER	RA QTY	RA SIZE	REPLACEMENT PART NUMBER
45-50 TONS	10	18 X 24 X 4	870-056	10	18 X 24 X 4	870-056

product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° Otherwise Specifed All outside corners 0.125" fillet Unless Otherwise Specified

±.125 X.XX ±.060 X.XXX ±.030 ±1° Angles





N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

ASV 1/19/2018 Third Angle Projection Sheet

SP 40-50 TON SPLIT SINGLE GAS Page Title CUSTOMER INTERFACE GA

2/10 G1000-113 NTS





TOP SUPPLY OPTION G1000-113 RIGHT HAND ACCESS OPTION ONLY 12" 280" REFER TO PAGE 4 FOR LEFT HAND ACCESS (TOP VIEW) -FLUE INTAKE HORIZONTAL SUPPLY OPTION 64 5/8" RIGHT HAND ACCESS OPTION ONLY REFER TO PAGE 4 FOR LEFT HAND ACCESS (BACK VIEW) - 5 1/2" TOP SUPPLY AIR **→** 36 1/16" 271 1/2" 25" SIDE SUPPLY OPTION **→** 25" 282 3/4" → 3 3/8" RIGHT HAND ACCESS OPTION ONLY REFER TO PAGE 4 FOR LEFT HAND ACCESS (LEFT SIDE VIEW) 98" 98' INTAKE HORIZONTAL SUPPLY 15 3/16" SIDE SUPPLY AIR-**BOTTOM SUPPLY OPTION** BOTTOM SUPPLY AIR RIGHT HAND ACCESS OPTION ONLY REFER TO PAGE 4 FOR LEFT HAND ACCESS (VIEW FROM ABOVE) 25" INTAKE 64 5/8" **→** 35 7/16" 273 3/16" Desert Aire has a policy of continuous Tolerance Unless All Dimensions in Inches product and quality improvement. Otherwise Specifed N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 All Angles 90° Specifications and dimensions are ±.125 All outside corners 0.125" fillet subject to change without notice. X.XX ±.060 Unless Otherwise Specified This drawing and information contained X.XXX ±.030 Fax: (262) 946-7401 ±1° herein are the exclusive property of the Angles NOTES: Description SP 40-50 TON SPLIT SINGLE GAS Desert Aire Corporation. Any use detrimental ASV 1/19/2018 REFER TO SHEET 1 FOR GENERAL NOTES to the interests of Desert Aire is prohibited. Third Angle Projection Sheet LEFT HAND ACCESS SHOWN IN ALL VIEWS UNLESS OTHERWISE SPECIFIED RH ACCESS DISCH OPTIONS GA 5/10 ALL DIMENSIONS ARE IN INCHES

TOLERANCE ± 1/8"


Part weight

NTS

G1000-113

RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED

HOODS REMOVED FOR CLARITY



- $\fbox{1}$ 96" RECOMMENDED FOR FILTER ACCESS.
- $\left\langle \ _{2} \ \right
 angle$ 120" CLEARANCE ON ACCESS SIDE RECOMMENDED FOR FAN AND COIL SERVICE
- \langle 3 \rangle REQUIRED FOR ASSEMBLY OF SECTIONED UNITS ONLY

Desert Aire has a policy of continuous Tolerance Unless All Dimensions in Inches product and quality improvement. N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Otherwise Specifed All Angles 90° Specifications and dimensions are ±.125 All outside corners 0.125" fillet subject to change without notice. X.XX ±.060 Unless Otherwise Specified Fax: (262) 946-7401 This drawing and information contained X.XXX ±.030 Angles ±1° herein are the exclusive property of the SP 40-50 TON SPLIT SINGLE GAS Desert Aire Corporation. Any use detrimental ASV 1/19/2018 to the interests of Desert Aire is prohibited. Third Angle Projection Sheet 6/10 UNIT CLEARANCE GA ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8" Part weight G1000-113 NTS

NOTES: REFER TO SHEET 1 FOR GENERAL NOTES LEFT HAND ACCESS SHOWN IN ALL VIEWS

RIGHT HAND ACCESS OPTIONS LOCATED WITH SAME DIMENSIONS ON OPPOSITE SIDE UNLESS OTHERWISE SPECIFIED

G1000-113

NOTES:

REFER TO SHEET 1 FOR GENERAL NOTES

40-50 RIGHT HAND CB-50NGR2-18 40-50 LEFT HAND CB-50NGL2-18

UNIT TON

ACCESS

18" CURB

24" CURB

CB-50NGR2-24

CB-50NGL2-24

Α

3


21 9/16

- 14 GA GALVANIZED STEEL CONSTRUCTION
- 2. PRIME PAINTED AFTER FABRICATION
- 3. PRESSURE TREATED WOOD NAILERS
- 1-1/2" THICK 3LB/FT^3 FIBERGLASS PERIMETER INSULATION
- 5. INTERNAL ANGLE REINFORCEMENT
- CURB TO BE SHIPPED KNOCKED DOWN


		-	26"-	 3"
93 3/16"	64 5/8"			86 3/16"
	-	— 381 3/4" ————————————————————————————————————		
	 ■	— 377 3/4" ————————————————————————————————————		-



- B
 → B
 18" or 24" —



NUMBER AND LOCATION OF CROSS SUPPORTS IS DEPENDANT UPON THE GUAGE OF MATERIAL USED TO CONSTRUCT THE CURB, DUCT SUPPORT CONFIGURATION LENGTH OF CURB, AND WIDTH OF CURB. INSTALLATION INSTRUCTIONS INCLUDED WITH CURB SHIPMENT INDICATE THE REQUIRED POSITION FOR FIELD ASSEMBLED CURBS.



Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Part weight

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400

Third Angle Projection Sheet

X.X

X.XX

X.XXX

Fax: (262) 946-7401

ASV 1/19/2018

±.125

±.060

±.030

Tolerance Unless

Otherwise Specifed

Angles ±1°


NTS

SP 40-50 TON SPLIT SINGLE GAS

G1000-113

Page Title 7/10


CURB DETAIL GA




G1000-113

SHIP LOOSE ITEMS			
FLUE			
DA PART NO	DESCRIPTION	QTY	
515-059	B-VENT 12" X 36"	1	
515-058	FLASHING 12"	1	
525-057	VENT CAP 12"	1	
515-056	COLLAR 12"	1	

SHIP LOOSE ITEMS			
EXHAUST HOOD			
DA PART NO	DESCRIPTION	QTY	
HOOD	EXHAUST ASSEMBLY	1	
807-023	SCREW #8-18X1/2 SS	36	
990-105	CAULK WHITE	1	





Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Third Angle Projection Sheet

Otherwise Specifed

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

Angles ±1° ASV Date Released 1/19/2018

Tolerance Unless

X.X ±.125

X.XX ±.060

X.XXX ±.030

SP 40-50 TON SPLIT SINGLE GAS

9/10

NTS

G1000-113

Page Title SHIPPING/LIFTING DETAILS GA

NOTES:

REFER TO SHEET 1 FOR GENERAL NOTES AND HOOD DETAILS


G1000-113


SHIP LOOSE ITEMS				
	FLUE			
DA PART NO	DESCRIPTION	QTY		
515-059	B-VENT 12" X 36"	1		
515-058	FLASHING 12"	1		
525-057	VENT CAP 12"	1		
515-056	COLLAR 12"	1		


EXHAUST HOOD		
DA PART NO	DESCRIPTION	QTY
HOOD	EXHAUST ASSEMBLY	1
807-023	SCREW #8-18X1/2 SS	36
990-105	CAULK WHITE	1


SHIP LOOSE ITEMS				
	SECTION ITEMS			
DA PART NO	DESCRIPTION	QTY		
807-007	BOLT 3/8-16X1 SS	20		
807-008	WASHER 3/8 FLAT SS	20		
807-009	WASHER LOCK SPLIT 3/8 SS	20		
807-010	NUT 3/8-16 SS	20		
807-023	SCREW #8-18X1/2 SS	860		
807-223	SCREW #10-32X1/2 MACHINE HEX	20		
950-089	TAPE SEAM SEALER 2"	150 FT (3 ROLLS)		
950-090	TAPE SEAM SEALER 4"	17 FT		
990-105	CAULK WHITE	9		
352-098-040	BASE Z CVR SIDE, MID SEC	10		
STRIPS	2.5 X 103" METAL SIDE STRIPS	10		
STRIPS	2.5 X 92 1/2" METAL TOP STRIPS	5		
STRIPS	1" X 3" X 24" METAL CORNER STRIPS	10		


SHIPPING AND LIFTING DETAILS FOR MULTI-SECTION CONSTRUCTION OPTION ONLY

















BACKDRAFT DAMPER OPTION ADDS AN ADDITIONAL 9" TO FAN SECTION LENGTH

REMOTE CONDENSER/WATER CONNECTIONS WILL ADD AN ADDITIONAL MAXIMUM OF 8" TO LENGTH

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES

TOLERANCE ± 1/8"

Third Angle Projection Sheet

All Dimensions in Inches

All Angles 90°

All outside corners 0.125" fillet

Unless Otherwise Specified

Tolerance Unless Otherwise Specifed ±.125 X.XX ±.060 X.XXX ±.030 Angles ±1°

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

ASV 1/19/2018

SP 40-50 TON SPLIT SINGLE GAS

10/10

NTS

SECTIONED LIFTING DETAILS GA

G1000-113

REFER TO SHEET 1 FOR GENERAL NOTES AND HOOD DETAILS UNIT SHIPPED IN SIX SECTIONS SEE I/O MANUAL FOR ASEMBLY DETAILS