



AIR FLOW	UNIT SIZE (TONS)	UNIT CABINET SIZES	L1	W1	H1	W2
	02		146 1/8	37 1/8	46 3/8	43 1/8
	03	24	146 1/8	37 1/8	46 3/8	43 1/8
>	05		160 1/2	37 1/8	46 3/8	43 1/8
- LO	80		195 5/8	49 1/8	51 1/8	55 1/8
DOWN FLOW	10	36	195 5/8	49 1/8	51 1/8	55 1/8
	15		195 5/8	49 1/8	51 1/8	55 1/8
	20	44	221 1/4	54 1/2	55 1/8	60 1/2
	25	50	238 1/8	61 1/8	63 1/8	67 1/8
	30	00	271 7/8	61 1/8	63 1/8	67 1/8
	02		146 1/8	37 1/8	46 3/8	43 1/8
	03	24	146 1/8	37 1/8	46 3/8	43 1/8
>	05		160 1/2	37 1/8	46 3/8	43 1/8
ō l	08		195 5/8	49 1/8	51 1/8	55 1/8
ᇤ	10	36	195 5/8	49 1/8	51 1/8	55 1/8
TOP FLOW	15		195 5/8	49 1/8	51 1/8	55 1/8
	20	44	221 1/4	54 1/2	55 1/8	60 1/2
	25	50	238 1/8	61 1/8	63 1/8	67 1/8
	30		271 7/8	61 1/8	63 1/8	67 1/8





# **GENERAL NOTES AS REFERENCED BY INDIVIDUAL SHEETS:**

- 1 PORTION OF SECTIONED OR DETAILED DRAWING HAS BEEN OMITTED FOR CLARITY.
- $\overline{\langle 2 \rangle}$  VIEW IS FOR PICTORAL PURPOSES. REFER TO PAGE 1 FOR UNIT TYPE SPECIFIC VIEW.
- $\overline{\langle 3 \rangle}$  REFER TO SUBMITTAL FOR CUSTOMER CONNECTION LOCATIONS.
- $\langle 4 \rangle$  DIMENSIONS ARE TO ACCESS SIDE OF UNIT.
- $\langle 5 \rangle$ RH ACCESS SHOWN FOR DISPLAY PURPOSES. ACCESS DOOR CONFIGURATION MAY CHANGE DEPENDING ON UNIT SIZE.
- $\langle 6 
  angle$  REFER TO SHEET 3,4,5 FOR INTAKE AND DISCHARGE CONNECTION DIMENSIONS.

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Otherwise Specifed ±.125 X.XX ±.060 X.XXX ±.030 ±1° Angles

Tolerance Unless

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

**OPTIONAL** 

DISCONNECT


LOCATION


Date Released Third Angle Projection Sheet


EAC 10/16/2020

GrowAire GS Pkgd w/ Extd Cab

GENERAL ARRANGEMENT 1/5 NTS 0 G815-010







UNIT		DA	PART#				
SIZE (TONS)	CAB	4" MERV 7/8	MERV	2" PRE	NOM W	NOM H	QTY
2-5	24	870-056	870-133	870-057	18	24	2
8-15	36	870-028	870-128	870-022	16	20	6
20	44	870-028	870-128	870-022	16	20	4
20	7	870-010	870-129	870-005	20	20	2
25-30	50	870-041	870-131	870-043	20	24	6
36-46	60	870-010	870-129	870-005	20	20	6
30-40	80	870-028	870-128	870-022	16	20	6
50-60	72	870-028	870-128	870-022	16	20	12
30-00	12	870-041	870-131	870-043	20	24	3

Desert Aire has a policy of continuous
product and quality improvement.
Specifications and dimensions are
subject to change without notice.
This drawing and information contained
herein are the exclusive property of the
Desert Aire Corporation. Any use detrimental
to the interests of Desert Aire is prohibited.
ALL DIMENSIONS ARE IN INCHES

TOLERANCE ± 1/8"

All Dimensions in Inches
All Angles 90°
All outside corners 0.125" fillet
Unless Otherwise Specified

Part weight

Tolerance Unless Otherwise Specifed ±.125 X.XX ±.060 X.XXX ±.030 Angles ±1°

N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

Third Angle Projection


n		Date Released	Desc
	EAC	10/16/2020	

GrowAire GS Pkgd w/ Extd Cab

2/5		CUSTOMER INTERFACE GA
Scale	Rev.	Drawing Number
NTS	0	C815.010

CUSTOMER CONNECTION LINE SIZE SUMMARY (in.)									
Unit Size	2 TONS	3 TONS	5 TONS	8 TONS	10 TONS	15 TONS	20 TONS	25 TONS	30 TONS
CONDENSATE	1	1	1	1	1	1	1	1	1

G815-010



#### NOTES:

REFER TO SHEET 1 FOR GENERAL NOTES.

WEIGHTS SHOWN REFLECT FULLY OPTIONED ESTIMATED UNIT WEIGHT.

REFER TO CURB DETAILS GA SHEET FOR SUPPLY DUCT DIMENSION AND LOCATIONS.

UNIT SIZE	UNIT CABINET	DOWN DISCHARGE			
(TONS)	SIZES	TOTAL EST. WEIGHT (LBS.)			
02		1475			
03	24	1524			
05		1787			
80		2501			
10	36	2702			
15		3165			
20	44	3730			
25	50	4421			
30	30	5043			

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Part weight

Third Angle Projection Sheet

X.XXX ±.030 Angles ±1°



N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

EAC 10/16/2020

±.125

Tolerance Unless

Otherwise Specifed

X.XX ±.060


GrowAire GS Pkgd w/ Extd Cab

DOWN DISCHARGE GA 3/5 NTS 0 G815-010

G815-010

## NOTES:

REFER TO SHEET 1 FOR GENERAL NOTES. WEIGHTS SHOWN REFLECT FULLY OPTIONED ESTIMATED UNIT WEIGHT.



UNIT SIZE (TONS)	UNIT CABINET SIZES	SI	TOTAL EST.			
		<b>A</b> 1	B1	C1 <sub>4</sub>	D1	WEIGHT (LBS.)
02		40 3/4	13 3/4	13 5/8	9 7/8	1475
03	24	40 3/4	13 3/4	13 5/8	9 7/8	1524
05		55 1/8	12 1/2	13 5/8	9 7/8	1787
08		70 3/4	17	16 5/8	15 3/4	2501
10	36	70 3/4	17	16 5/8	15 3/4	2702
15		70 3/4	17	16 5/8	15 3/4	3165
20	44	88 5/8	29 3/8	17 7/8	18 3/4	3730
25	50	102 1/8	29 3/8	19 1/2	22 1/8	4421
30	30	135 7/8	29 3/8	19 1/2	22 1/8	5043

Desert Aire has a policy of continuous product and quality improvement. Specifications and dimensions are subject to change without notice. This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

> ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8"

All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

Part weight

Otherwise Specifed ±.125 X.XX ±.060 X.XXX ±.030 Angles ±1°



N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

G815-010

Third Angle Projection Sheet

Date Released EAC 10/16/2020

Tolerance Unless

NTS

0

GrowAire GS Pkgd w/ Extd Cab

TOP DISCHARGE GA

5-0	

#### NOTES:


REFER TO SHEET 1 FOR GENERAL NOTES. CURBS 120" AND LESS ARE SHIPPED AS COMPLETE CURBS. GREATER THAN 120"


ARE SHIPPED KNOCKED DOWN.


ASSEMBLED CURBS.

NUMBER AND LOCATION OF CROSS SUPPORT(S) IS DEPENDANT UPON THE GUAGE OF MATERIAL USED TO CONTRUCT THE CURB, DUCT SUPPORT CONFIGURATION, LENGTH OF CURB AND WIDTH OF CURB. INSTALLATION INSTRUCTIONS INCLUDED WITH CURB SHIPMENT INDICATE THE REQUIRED POSITION FOR FIELD

		TOP FLOW ROOFCURB DIMS			DOWN FLOW ROOFCURB DIMS						
UNIT	UNIT		WIDTH LENGTH		WIDTH	LENGTH	SUPI	PLY DISC	HARGE (	in.)	
	(TONS) SIZES	CURB P/N	(in.)	(in.)	CURB P/N	(in.)	(in.)	A	В	<b>C</b> 4	D
02		CB02NPBN04-XX	29 1/8	135 1/4	CB02NPCN04-XX	29 1/8	135 1/4	35 1/2	11 1/2	8 1/8	9 7/8
03	24	CB03NPBN04-XX	29 1/8	135 1/4	CB03NPCN04-XX	29 1/8	135 1/4	35 1/2	11 1/2	8 1/8	9 7/8
05		CB05NPBN04-XX	29 1/8	149 5/8	CB05NPCN04-XX	29 1/8	149 5/8	49 7/8	11 1/2	8 1/8	9 7/8
08		CB08NPBN06-XX	41 1/8	184 7/8	CB08NPCN06-XX	41 1/8	184 7/8	69 1/2	13 3/4	11 1/8	15 3/4
10	36	CB10NPBN06-XX	41 1/8	184 7/8	CB10NPCN06-XX	41 1/8	184 7/8	69 1/2	13 3/4	11 1/8	15 3/4
15		CB15NPBN06-XX	41 1/8	184 7/8	CB15NPCN06-XX	41 1/8	184 7/8	69 1/2	13 3/4	11 1/8	15 3/4
20	44	CB20NPBN06-XX	46 1/2	210 1/2	CB20NPCN06-XX	46 1/2	210 1/2	87 3/8	16	12 3/8	18 3/4
25	50	CB25NPBN06-XX	53 1/8	227 3/8	CB25NPCN06-XX	53 1/8	227 3/8	101	19	14	22 1/8
30		CB30NPBN06-XX	53 1/8	261 1/8	CB30NPCN06-XX	53 1/8	261 1/8	134 5/8	19	14	22 1/8







## — - - — - - — DUCT CONNECTIONS FOR DOWN DISCHARGE

Part weight

Desert Aire has a policy of continuous product and quality improvement.

Specifications and dimensions are subject to change without notice.

This drawing and information contained herein are the exclusive property of the Desert Aire Corporation. Any use detrimental to the interests of Desert Aire is prohibited.

ALL DIMENSIONS ARE IN INCHES TOLERANCE ± 1/8" All Dimensions in Inches All Angles 90° All outside corners 0.125" fillet Unless Otherwise Specified

125" fillet X.X specified X.XX specified X.XXX specified X.XXX specified X.XXX specified X.XXX specified X.XXX specified X.XX specified X.XX

X.X ±.125 X.XX ±.060 X.XXX ±.030 Angles ±1°

Date Released

Description

Tolerance Unless

Otherwise Specifed



N120 W18485 FREISTADT RD GERMANTOWN, WI 53022 Tel: (262) 946-7400 Fax: (262) 946-7401

Third Angle Projection Sheet Date Released 10/16/2020

GrowAire GS Pkgd w/ Extd Cab

Page Title

CLIPB DETAILS GA

5/5 CURB DETAILS GA

Rev. Drawing Number G815-010